

19th Topical Meeting on the Technology of Fusion Energy

A. Bayramian, C. Boley, A. Bullington, D. Chen, R. Deri, A. Erlandson, M. Henesian, K. Manes, W. Molander, K. Schaffers, M. Spaeth, S. Sutton, S. Telford, J. Caird

June 18, 2010

19th Topical Meeting on the Technology of Fusion Energy Las Vegas, NV, United States November 7, 2010 through November 11, 2010

Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.




Compact, Efficient Laser Systems Required for LIFE

Topics on Fusion Energy
American Nuclear Society 2010 annual meeting
November 10, 2010


Andy Bayramian
Photo Science and Applications Program
NIF and Photon Science Directorate
Lawrence Livermore National Laboratory

This architecture is designed so that all of the hardware Line Replaceable Units (LRUs) are deliverable by truck or smaller



This architecture eliminates the switchyard necessary to transform a rectangular laser array to the target geometry

All beamlines essentially have the same beam pathway making all hardware common (i.e. LRUs nearly identical)





The laser requirements for LIFE are an extrapolation of NIF ignition and power plant requirements


Characteristic	Requirement
Total laser energy	2.41 MJ
Total peak power	694 TW
# beamlines	576 (48 x 12)
Energy per beamline (3ω)	4.3 kJ
Wallplug efficiency	12%
Repetition rate	14.8 Hz
Lifetime of system	15 x 10 ⁹ shots
Availability	0.99
Maintenance	< 8 hrs
Beam pointing	113 μ m rms *
Beam-to-beam energy stability	8% rms
Beam to beam simultaneity	30 ps rms
Focal spot size (w/o CPP)	1360 μm, rms*
Spectral bandwidth	10 Angstroms
Prepulse (20 ns prior to main)	< 10 ⁸ W/cm ²


^{*} Larger target - scaled 2.25X from NIF requirements



Our LIFE laser beamline folds into a transportable box, enabling an efficient & cost-effective supply chain


- Offsite beamline factory
- Truck-shippable 1ω beamline
- Low-overhead installation
 - Kinematic placement
 - Few interfaces








Our baseline design is a passive polarization switched 4-pass image relayed architecture



Like Mercury, this architecture still needs a Pockels cell for gain isolation, but the average power loading is 40X below a NIF style architecture



The entire 1w beamline can be packaged into a box which is 31 m³





While no gain media are "ideal" in all aspects, Nd:phosphate glass properties are sufficient for LIFE

	Nd:glass
Storage Lifetime (ms)	0.36 - 0.5
Absorption FWHM (nm)	12.5
Laser Wavelength (nm)	1053
Pump Wavelength (nm)	872
Quantum Defect (%)	17
Sat. Fluence (J/cm²)	5
Birefringence	None
Thermal conductivity (W/m K)	1
Stress fracture (W/cm)	0.7
Fabrication (cm)	40
Operating Temp. (°C)	25

- Diode costs have already dropped making lifetime less of a concern
- Thermal stress birefringence and fracture are issues
- Proper engineering can almost completely mitigate these concerns
- High quality Nd:phosphate glass is available today in large aperture




The cost, performance model utilizes analytic models, and empirical fits to analyze the overall system efficiency

Efficiency @ 3ω
95
95
73
98
95
98
96
83
83
83
92
98
87
80
98
70
99
13.9
86.3
12.0

- System design efficiency 12%
- An overall efficiency of >10% is sufficient for power production
- Cost of electricity is a relatively flat function for efficiencies >10%
- Technological developments/learning could yield efficiencies of 16-25%
- Great care in system engineering is required for high efficiency





The system design model has been utilized to define the optimum value for diode power vs. efficiency





Diodes require close attention as their cost is a significant part of laser cost for LIFE





2-3 ¢/W is sufficient for the first plant

We anticipate price points of $\sim 1¢$ /Watt for LIFE commercial:

- ~100x greater production volume ("opportunity curve")
- Improved yields as volumes scale
- Improved power/bar as technology evolves



To meet the pump irradiance requirement LIFE diode arrays utilizes high power bars with an aggressive pitch


Characteristic	Specification	Production Status
Diode peak power, bar (W)	500	Industrial
Diode wavelength (nm)	872	Industrial
Diode spectral width (nm)	10	Industrial
Fast axis divergence (degrees)	6	Industrial
Slow axis divergence (degrees)	7	Industrial
Diode lifetime (80%) (x10 ⁹ shots)	10	Industrial
Diode efficiency	0.7	Lab scale
Diode pulse length (msec)	200	Industrial
Diode pitch (microns)	200	Lab scale
Bars per tile (stack)	50	Industrial
Tile size (mm)	10x10	N/A
Mounting gap (mm)	1x1	N/A
Effective tile size (mm)	11x11	N/A
Effective array intensity (kW/cm²)	20.7	N/A


The technology for LIFE diode arrays has been demonstrated.

A focused effort to create industrial production should achieve requirements.




Thermally induced depolarization in isotropic media (Nd:glass) can be minimized with polarization rotation








Cylindrical lenses and slit filters potentially offer improved spatial filtering for the LIFE laser



- Filtering is provided by slits rather than by pinholes
- Intensity at slit edges is several orders of magnitude less than intensity at equivalent round pinhole edges
- Fused silica slits reflect and refract filtered light
- Fused silica has reported surface/bulk damage threshold ~475 GW/cm²
- Experiments and benchmarked simulation of this method this year



Reduced requirements for LIFE relative to NIF, lead to a simpler Pockels cell architecture





- Operational fluence of 0.3 J/cm²
- Potential usage of ITO as a conductive coating.
- ITO is expansion matched to sapphire.
- Use of thin flowing Decalin or equivalent coolant
- Operational voltage of ~21 kV
- Aperture scalable to LIFE and even full NIF apertures

Experiments with a scaled aperture of this architecture are planned for this year



Beam propagation using NIF optic aberration data yields an output beam with low contrast and modulation






- The output 3ω average fluence is ~3.2 J/cm², to enchance the optical lifetime of these components
- The encircled energy meets baseline LIFE requirements



The final optic is a thin Fresnel lens to minimize the induced optical absorption due to neutron damage



Note: All laser drivers require a transparent vacuum/tritium barrier for the plant

Inner cone

26.9 degrees



The LIFE laser system must be reliable and maintainable

Maintainability

- Minimize size and weight
- Package integrated functional units as LRUs
- Distributed controls
- Kinematic replacement
- Short replacement time
- High availability

Reliability

- Long MTBF of mechanical subcomponents
- Minimize moving parts
- Reduced fluence specification for enhanced optical life
- Beam expansion after 1w section lowers the fluence to converter and final optics
- Use NIF techniques for surface finishing, coating, handling, and cleanliness
- Employ optics mitigation techniques to overcome imperfect manufacture of substrates and surfaces
- Accelerated testing of components*

^{*} Bayramian, et. al., "A Laser Technology Test Facility for LIFE," J. Phys.: Conf. Series, 244, 032016, 2010.



Solid state lasers have demonstrated long life in many commercial and laboratory applications

Manufacturer/ Model	Power (W)	Energy (mJ)	Repetition Rate (kHz)	MTBF (hrs)	Max Shots (x 10 ⁹)
	LLN	L laser sys	stems		
AVLIS solid-state laser			20	4000	288
Commercial Die	ode Pum	ped Solid	State Laser F	Performa	nce
Newport / Pulseo (3w)	20	0.2	100	10000*	3600
Northrup Grumman / Patara (2w)	100	10	10	10000*	360
Northrup Grumman / Presencia (1w)	400	40	10	10000*	360
Coherent / Avia (2w)	45	0.375	120	10000*	4320
Coherent / Avia (3w)	28	0.254	110	10000*	4320
Coherent / Evolution (2w)	45	45	1	10000*	36


^{*} Warranteed MTBF from manufacturers



IFE power generation in 2020's is within reach... if we start now

- LIFE laser Reliability, Availability, and Maintainability has driven the engineering of new solutions relative to NIF and Mercury systems:
 - Beamline architecture
 - Laser materials, coating technologies
 - Diode fabrication, packaging, and lensing
 - Diode power conditioning
 - Pockels cell, frequency conversion
 - Final Optics
 - Target pointing and tracking
- Development has already begun in FY2010:
 - Assessment of basic properties of several new laser glasses
 - Purchase materials for characterization
 - Self consistent compact beamline design
- Several sub-scale prototype experiments will be conducted in FY2011
 - Reduction to practice of new Pockels cell technology
 - Measurement of gain saturation fluence for diode pumped laser glass
 - Scaled cylindrical filter test to assess viability
 - Nearfield spatial filtering tests
 - Basic properties of some of the new materials including absorption, scatter, bonding, interface reflectivity, damage threshold

Authors and Contributors



- M. Dunne

R. Deri


- C. Ebbers
- A. Erlandson
- M. Feit
- B. Freitas
- S. Fulkerson

- W. Molander
- E. Moses
- S. Rana
- S. Rodriguez
- A. Rubenchik
- R. Sawicki
- K. Schaffers
- L. Seppala





Our choice of diode power per beamline nearly minimizes cost of electricity



- 10th-of-a-kind power plant was modeled with Tom Anklam's Integrated Project Model
- Cost/watt is for LIFE.2, before learning
- Cost rises on the left due to increased electrical power delivered to the laser
- Cost rises on the right due to increased number of diodes
- Pump pulse duration varies with diode power but other parameters are held constant

TOFE, Caird, 9/28–10/2/08



The laser requirements for LIFE are an extrapolation of NIF ignition and power plant requirements

	1
Characteristic	Requirement
Total laser energy	2.41 MJ
Total peak power	694 TW
# beamlines	576 (48 x 12)
Energy per beamline (3ω)	4.3 kJ
Wallplug efficiency	12%
Repetition rate	14.8 Hz
Lifetime of system	15 x 10 ⁹ shots
Availability	0.99
Maintenance	< 8 hrs
Beam pointing stability	113 microns rms
Beam-to-beam energy stability	8% rms
Beam to beam simultaneity	30 ps rms
Focal spot size (w/o CPP)	1360 microns
Spectral bandwidth	10 Angstroms
Prepulse (20 ns prior to main)	< 10 ⁸ W/cm ²



Inertial Fusion Energy (LIFE) is an extension of Inertial Confinement Fusion (NIF)

General


- Balance of plant
- Liquid neutron absorber, tritium breeder
 - FLiBe, PbLi, Li, etc.
- Target chamber structure
 - Heating
 - Radiation
 - Pressure wave
 - Weight of fluids
- Target chamber environment
 - First wall integrity
 - Turbulent gases
- Target
 - Tracking
 - Heating
 - Acceleration
 - Mass production, cost (\$)
 - Gain

Laser Specific

- Laser average power issues
 - Wavefront
 - Stress birefringence
 - Stress fracture
 - Gain isolation
- Diode lifetime
- Optics lifetime
 - Drive laser optics
 - Final optics neutrons, photons, pressure, temperature
- Cost of Electricity
 - Capital cost of hardware and size of hardware
 - Efficiency recycled energy needed
 - Reliability, availability
 - Serviceability and maintainability



High efficiency four-crystal KD*P (98%) frequency converter designs have been simulated




- Average power operation requires He gas cooling between glass or sapphire windows and crystal surfaces.
- Alternate-z crystal axes are also proposed.

	Single pulse	Foot pulse	Drive pulse	Foot+Drive
Type I, Type II:	60.15 %	61.69 %	71.19 %	68.82 %
Crystal lengths(cm):	1.4, 1.1, 1.0, 1.0	1.3, 0.9, 0.9, 0.9	1.3, 0.9, 0.9, 0.9	
Angles(μR):	280,-240,30,-30	280,-240,30,-30	280,-240,30,-30	
Type II, Type II	65.86 %	68.54 %	75.91 %	74.07 %
Crystal lengths(cm):	1.1, 1.1, 1.1, 1.1	0.9, 0.9, 0.9, 0.9	0.9, 0.9, 0.9, 0.9	
Angles(μR):	30,-30,30,-30	30,-30,30,-30	30,-30,30,-30	

Effective "foot" + "drive" conversion efficiency: 69.0 - 74.0 %



Roadmap — Laser Inertial Fusion Energy (LIFE)






LIFE lessons

- Leverage ICF success on NIF
- Leverage basic average power demonstrations on Mercury
- System optimization to assess importance of subsystem optimization
- Make decisions based on cost and efficiency
- Incorporate maintainability and availability of the laser system in cost and efficiency models



Diode laser test station recent progress

Laser diode array testing requirements			
Property	Value		
Peak optical power per bar (W)	500		
Electrical to optical efficiency	0.6		
Bars per tile	25		
Pulse width (us)	200		
Pulse repetition frequency	15		
Diode current (A)	398		
Operating voltage (V)	100		
Equivalent series resistance (m Ω)	50		
Stored energy (J)	90		
Pulser efficiency	0.914		



Advanced pulser components exist which could allow full miniaturization and >91% wallplug efficiency



LIFE beamlines are an evolution of NIF and Mercury technology

NIF


- He cooling enables average power
- Diode pumping enables efficiency

Mercury

Repetition rate 10⁻⁴ Hz
Efficiency < 1%
Duration > 10⁴ shots
Cost ~ baseline
Availability: science campaigns

Repetition rate 10 Hz Efficiency 6% Duration > 3 x 10⁵ shots


LIFE



Repetition rate 10 ~ 20 Hz Efficiency > 10% Duration > 10¹⁰ shots Cost ~ low wrt balance of plant Availability: 24, 7




Fused silica slit filters could operate with zero ablation





- Fused silica slits reflect and refract filtered light
- Low absorption (0.3 dB, km) gives rise to low heating (~<2 mW)
- Fused silica has reported surface/bulk damage threshold ~475 GW/cm²
- Experiments and benchmarked simulation of this method this year



A new compact, efficient diode pulser meets early testing requirements








- The new pulser is (2.8x12x18 cm³ a 12.7X reduction in volume) and is capable of 1000 Amps, and 100 Hz (25X increase in performance).
- The Mercury pulser box (4.4x46x76 cm³) held two pulser channels capable of 200 Amps, 20 Hz




Polarization combination makes the diode brightness sufficient for simple ~1:1 relay to the amplifier







A ray trace model of the architecture shows a smooth pump profile which meets our requirements





Beam propagation using NIF optic aberration data yields an output beam with low contrast and modulation






The output 3ω average fluence is ~3.2 J/cm², to enchance the optical lifetime of these components



Initial far field simulations using CPP designs for target beam smoothing indicate




Percentage of Enclosed Power	1ω Power Enclosed Diameter	3ω Power Enclosed Diameter
50%	1110 μm	206 μm
80%	328 μ m	428 μm
95%	700 μm	1120 μm

- Simulation includes 39 actuator DM and estimate of wavefront residuals
- LIFE CPP analysis are in process for use at 12-20 meter focus.





Simulation in plane of the Hohlraum entrance hole at 12-m focal distance: Without smoothing With thermal conduction smoothing



LIFE_100602_cpp_12m.TCC_Y

Sun Oct 31 s_LIFE_100602_cpp_12m.TCC_Y,


Percentage of Enclosed Power	3 _ω Power Inside Diameter of	3ω Power (with thermal smoothing)
50%	796 μ m	802 μm
80%	1222 μm	1230 μm
95%	1800 μm	1805 μm

Sun Oct 31 2010

LIFE optimized CPP designs in the future will improve the flatness of the focal spot.



Average power frequency tripling efficiency is optimize with separate "foot" and "drive" beams:



The three "drive" beams are co-focused on target with one "foot" beam to create the desired power profile.



Thermally induced depolarization in isotropic media (Nd:glass) can be minimized with polarization rotation

